

MATERIAL SAFETY DATA SHEET
SEIPLUS 400



1 PRODUCT & COMPANY IDENTIFICATION

Product Name:	SEIPLUS 400	Supplier:	ASES CHEMICAL WORKS.
INCI Name:	POLYACRYLATE-13 & POLYISOBUTENE & POLYSORBATE 20	Address:	Brahm Bagh, Jalori Gate Jodhpur - 342001 Rajasthan-India
CAS Number:	152728-72-8, 9003-27-4, 9005-64-5	Phone:	+91-9636889954
Product Form:	Liquid	Web:	www.ases.in
Product Use:	Manufacture of cosmetics.	Email :	ecom@ases.in

2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] :	Not Classified
Classification according to Directive 1999/45/EC [DPD] :	Not classified as dangerous.
Label elements :	Not classified
Precautionary statements :	Not classified
Other hazards:	Not classified.

Additional Information

Handling : Stir before use. **Storage :** Store away from light and heat (0-30°C)

3 COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures :	Mixture
INCI Name:	POLYACRYLATE-13 & POLYISOBUTENE & POLYSORBATE 20

4 FIRST AID MEASURES

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Eye:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.
Instigation:	Wash out mouth with water. Do NOT induce vomiting. Seek medical attention.

5 FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known
Fire hazard	In a fire or if heated, a pressure increase will occur and the container may burst.
Advice for firefighters	Wear self-contained, approved breathing apparatus and full protective clothing.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk-through spilt material. Put on appropriate personal protective equipment.
Environmental Precautions:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Clean up procedure :	Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material and place in container for disposal according to local regulations.

MATERIAL SAFETY DATA SHEET

SEIPLUS 400

7 HANDLING & STORAGE

Handling:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. STIR BEFORE USE.
Storage:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. STORE AWAY FROM LIGHT AND HEAT (0-30°C)

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls:	General industrial hygiene practice.
Eye protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Worn safety glasses with side shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn when handling chemical products if a risk assessment indicates this is necessary.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and should be approved by a specialist before handling this product.
Respiratory protection:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance :	Liquid. [Emulsion.]	Density:	1 g/cm ³ to 20 °C
Odour :	Odourless.	Solubility:	Dispersible in cold water
Colour:	Translucent, Opaque, Whitish., Yellow tint	Viscosity: Dynamic:	1000 mPa·s
pH :	5 to 6,5 [Conc. (% w/w): 2%]	Temp of viscosity:	25 °C
Boiling point :	>100°C	Flammability of the product:	None available.
Flash point :	Closed cup: >100°C [Not determined.]		

10 STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable.
Hazardous Polymerization:	Hazardous reactions or instability may occur under certain conditions of storage or use.
Conditions to Avoid:	No specific data.
Incompatible Materials:	No specific data.
Hazardous Decomposition Products:	Under normal conditions hazardous decomposition products should not be produced.

MATERIAL SAFETY DATA SHEET

SEPIPLUS 400

11 TOXICOLOGICAL INFORMATION

Acute toxicity:	Not classified as dangerous (By analogy.)
Mutagenicity:	No mutagenic effect
Carcinogenicity:	Not available.
Reproductive toxicity:	Not available.
Teratogenicity:	Not available.
STOT(single/repeated) exposure:	Not available.
Aspiration hazard:	Not available.

12 ECOLOGICAL INFORMATION

Ecotoxicity:	Not classified as dangerous.
Persistence and degradability:	Not readily.
Bioaccumulative potential:	Not available.
Mobility in soil:	Not available
Other adverse effects:	No known significant effects or critical hazards.

13 DISPOSAL CONSIDERATIONS

Waste Residues:	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.
Product Containers:	Users should review their operations in terms of the applicable federal/national or local regulations.

14 TRANSPORT INFORMATION

US DOT Shipping Description (Land):	Not regulated.
IMO-IMDG Shipping Description (Sea):	Not regulated.
IATA ShippingDescription (Air):	Not regulated.

15 REGULATORY INFORMATION

TSCA Inventory Status:	No data available
Chemical safety assessment:	For this product a chemical safety assessment was not carried out.

16 OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and ASES CHEMICAL WORKS assume no liability resulting from its use.