TURPENTINE OIL MSDS



CAS No: 8006-64-2

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC no : 232-350-7 CAS No : 8006-64-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Ases Chemical Works

Address:

Brahm Bagh, Jalori Gate

Jodhpur-342001 (India)

Tel: +91-291-2635041, Whats App: 9636889954

web: www.ases.in, e-mail ecom@ases.in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids,

Category 3

H226

Acute toxicity (oral),

H302

Category 4

Acute toxicity (dermal), H312

Category 4

Acute toxicity H332

(inhalation:dust,mist)

Category 4

Skin corrosion/irritation,

H315

Category 2

Serious eye damage/eye H319

irritation, Category 2

Sensitisation — Skin, H317

category 1

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

1/10

Safety Data Sheet

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20/21/22 Xn; R65 Xi; R36/38 R43 N; R51/53 R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P331 - Do NOT induce vomiting

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

| Name | Product identifier | % |
|----------------|---|-----|
| TURPENTINE OIL | (CAS No) 8006-64-2 (EC no) 232-350-7 | 100 |

Safety Data Sheet

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Gently wash with plenty of soap

and water. Take off contaminated clothing.

First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion : If you feel unwell, seek medical advice. Do not induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Harmful if inhaled.

Symptoms/injuries after skin contact : Harmful in contact with skin. Causes skin irritation. May cause an allergic skin

reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area. Stop release.

6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

Hygiene measures

: Handle empty containers with care because residual vapours are flammable.

: No naked lights. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.

: Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Keep in fireproof place.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : Pungent.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : 0.86

Melting point : -55 °C

Freezing point : No data available

Boiling point : 153 - 175

Safety Data Sheet

Flash point : 36 °C

Auto-ignition temperature : 233 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Flammable solid

Vapour pressure : 5 hPa at 20 °C

Relative vapour density at 20 °C : 4.7

Relative density : No data available

Density : 0.86 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.008 - 0.06 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable solid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

Inhalation:dust/mist: Harmful if inhaled.

Skin corrosion/irritation : Causes skin irritation.

Safety Data Sheet

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity Carcinogenicity

: Causes serious eye irritation.

: May cause an allergic skin reaction.

: Not classified : Not classified

Reproductive toxicity

Specific target organ toxicity (single

exposure)

: Not classified : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

: Not classified Aspiration hazard

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

TURPENTINE OIL (8006-64-2)

Persistence and degradability May cause long-term adverse effects in the environment.

Bioaccumulative potential

No additional information available

Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Product/Packaging disposal

: Dispose of contents/container to ...

recommendations Additional information

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials

: Hazardous waste due to toxicity.

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1299 UN-No. (IMDG) : 1299 UN-No.(IATA) : 1299

UN-No.(ADN) : Not regulated UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : TURPENTINE
Proper Shipping Name (IMDG) : TURPENTINE
Proper Shipping Name (IATA) : TURPENTINE
Proper Shipping Name (ADN) : Not regulated
Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 1299 TURPENTINE, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG) : UN 1299 TURPENTINE, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS (35°C c.c.)

Transport document description (IATA) : UN 1299 TURPENTINE, 3, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : Not regulated

Safety Data Sheet

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T2

instructions (ADR)

Portable tank and bulk container special : TP1

provisions (ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 30

Orange plates

30 1299

Tunnel restriction code (ADR) : D/E EAC code : 3Y

- Transport by sea

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-E Stowage category (IMDG) : A Flash point (IMDG) : 35°C c.c. MFAG-No : 128

Safety Data Sheet

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity : 10L

(IATA)

PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 3L

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

TURPENTINE OIL is not on the REACH Candidate List

TURPENTINE OIL Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 2833)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

 $\textbf{Classification remarks} \hspace*{0.2in} : \hspace*{0.2in} \textbf{R10} \hspace*{0.2in} < \hspace*{0.2in} \textbf{H226}; \\ \textbf{H302} + \hspace*{0.2in} \textbf{H312} + \hspace*{0.2in} \textbf{H332}; \\ \textbf{H317}; \\ \textbf{H317}; \\ \textbf{H319}; \\ \textbf{H411} > ; \hspace*{0.2in} \\ \textbf{Emergency management} \\ \textbf{H312} + \hspace*{0.2in} \textbf{H332}; \\ \textbf{H312} + \hspace*{0.2in} \textbf{H312}; \\ \textbf{H313} + \hspace*{0.2in} \textbf{H319}; \\ \textbf{H310} + \hspace*{0.2in} \textbf{H3$

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
|--|--|
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Sensitisation — Skin, category 1 |
| H226 | Flammable liquid and vapour |
| H302 | Harmful if swallowed |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H411 | Toxic to aquatic life with long lasting effects |
| R10 | Flammable |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed |
| R36/38 | Irritating to eyes and skin |
| R43 | May cause sensitisation by skin contact |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| R65 | Harmful: may cause lung damage if swallowed |
| N | Dangerous for the environment |
| Xi | Irritant |
| Xn | Harmful |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product