

ASES CHEMICAL WORKS

Brahm Bagh, Jalori Gate Jodhpur - 342001 Rajasthan-India

Ph: +91-9636889954

Email : ecom@ases.in Website : www.ases.in



CERTIFICATE OF ANALYSIS

1. Name of the Product	Veegum Ultra
2. INCI	Magnesium Aluminium Silicate
3. Batch No & Mfg. Date	As mentioned on lable
4. Date Of Exp	3 Years From MFG
5. Date of Analysis	Feb-2024
6. Lot Qty	20Kg

Characteristics	Unit	Value	Lower Limit	Upper Limit	Inspection Method
Arsenic Content	ppm	0.9	0.0	3.0	T-1112
Lead Content	ppm	10.6	0.0	15.0	AA-82
Bacteria	cfu/g	50		100	T-727
Yeast & Fungi	cfu/g	50		100	T-811
E coli	-	Absent	-		T-728
Salmonella sp.	-	Absent	-		T-729
S aureus	-	Absent	-		T-730
P aeruginosa	-	Absent	-		T-731
Gram negative organisms	-	Absent	-		T-968
Moisture	%	4.6		8.0	T-684
pH, 5% Dispersion		4.7	4.2	5.2	T-685
Viscosity 5% Disp	cps	261	200	400	T-678

VEEGUM ULTRA is INCI Magnesium Aluminum Silicate

Physical State: Off-white to light tan granules

Solubility - Insoluble, but dispersible in water

ASES, certifies this result based on gamma irradiation and validation of the irradiation process to achieve the indicated result. This result may also be certified based upon actual testing.